

Fig. 1




Fig. 2

Secure Mail Node Hardware Architecture




Fig. 3




Fig. 4

Secure Mail Center Message Flow




Fig. 5

102250 5625860





Fig. 6



Secure Mail Sender's Message Package






Fig. 7



Unpack & Check The message

Repackage The message




Fig. 10

Send The message




Fig. 11

Secure Mail System "supported" Client Recipient's Message Package

FIG. 12




Fig. 12

Subscriber's Generic Client Recipient Message Package




Fig. 13

Non-Subscriber's Recipient Message Package




Fig 14A




Fig. 14B





Fig. 14C

Fig. 15



Secure Mail System Installation Options

Non Subscriber Password

None	Password
Password To Open	

~700

Return Receipt

None	Return Receipt
Sender (auto "bcc")	
Sender & Recipient (optional)	

~702

Virus Found Policy

Stop Message	Virus Policy
Pass Message with warning	

~704

Storage Period

Do Not Store	Storage Period
1 year	
2 years	
3 years	
4 years	
5 years	
10 Years	
25 Years	
> 25 Years	

~706

Storage Content

Message	Storage Content
Message & Digital Signature	
Digital Signature Only	

~708

Virus Checking Options

Standard	Virus Checking
Selectable	
No Virus Checking	

~710

Fig. 16